# STATEMENT OF WORK FOR THE REBUILD OF THE M832 DOLLY SET, LIFT, TRANSPORTABLE NSN 2330-00-221-4939

- 1.0 <u>SCOPE</u>. This Statement of Work (SOW) identifies the requirements to restore the M832 Dolly set to condition code "A". Condition code "A" is defined as serviceable/issuable without qualification, new, used, repaired, or reconditioned material which is serviceable and issuable to all customers without limitation or restriction.
- 1.1 <u>Background</u>. This Statement of Work (SOW) identifies the work effort that shall be performed by the contractor to rebuild the M832 Dolly Set.
- 2.0 <u>Applicable Documents</u>. The following documents form a part of this SOW to the extent specified.
- 2.1 Military Standards.

MIL-STD-129 DoD Standard Practice for Military Marking

Military Standards (For Guidance Only)

MIL-STD-973 Configuration Management

2.2 Other Government Documents and Publications.

TM 9-2330-275-14&P Dolly Set Lift Transportable

ATPD-2241 Vehicles, Wheeled, Preparation for

Shipment and Storage of

2.3 Industry Standards

ANSI/ISO/ASQCQ9002-94 Quality Systems-Model for Quality

Assurance in Production, Installation, and

Servicing

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Defense Automation Production Service Philadelphia, Building 4D, 700 Robbins Avenue, Philadelpia, PA 19111-5094, Telephone (215)697-2179 or DSN 442-2179, or <a href="http://www.dodssp.daps.mil">http://www.dodssp.daps.mil</a>. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Base, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial

telephone number (912) 439-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Life Cycle Management Center, Attn: Code 825-3, 814 Radford Blvd. Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (912) 439-6410 or DSN 567-6410.

### 3.0 Requirements.

- 3.1 General Tasks. In fulfilling the specified requirements, the contractor shall:
- a. Perform a complete overhaul/rebuild of the M832 Dolly Set. TM 9-2330-275-14&P is available as guidance for this scope of work.
- b. Provide materials, labor, facilities, repair parts, and missing parts necessary to inspect, diagnose, restore, and test the M832 Dolly Set. Upon completion of the rebuild, the M832 Dolly Set shall be in Condition Code "A".
  - c. Provide all tools and test equipment required to test and inspect the M832 Dolly Set.
- 3.2 Quality Assurance Provisions. The Contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9002-1994, Quality System Model for Quality Assurance in Production, Installation, and Servicing. The performance of the Contractor and the quality of work delivered, materiel provided, and documents written shall be subject to review and inspection by MCLB Albany representatives during work performance at any work location. Authorized MCLB, Albany, Georgia, representatives shall be permitted to observe the work/task accomplishment or to conduct inspections during working hours. Inspection by Albany, Georgia, representatives (Code 835) of test plans and materials furnished herein does not relieve the Contractor from any responsibility regarding defects or other failures to meet work requirements which may be disclosed prior to final acceptance. Failure of the Contractor to promptly correct deficiencies discovered shall be reason for suspension of acceptance until corrective action has been accomplished.

The Contractor shall have in place documented procedures and standards for inspections requirements and the Contractor's work shall be subject to reviews and inspections for compliance with these procedures and standards by MCLB, Albany, Georgia, representatives (Code 835). Noncompliance with procedures resulting in degraded quality of work may result in a stop-work order requiring action by the Contractor to correct the work performed and to enforce compliance with quality assurance procedures or face work termination. Notwithstanding such MCLB, Albany, Georgia, representative inspection, it shall be the Contractor's responsibility to ensure that the entire system meets the performance requirements delineated and addressed in this SOW.

#### 3.3 Packaging, Handling Storage and Transportation (PHS&T)

a. The contractor shall be responsible for preservation and packaging for items rebuilt under the terms of this statement of work. Items being prepared for long term storage shipment to overseas destinations shall be level A requirements of ATPD-2241. Items being prepared for domestic shipment, immediate usae or short-term storage shall be to level B requirements.

- b. Markings shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the restored equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.4 <u>Configuration Control</u>. The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without receiving prior written authorization. The baseline configuration has been defined by the written procedures or material contained in manuals, standards, instructions or engineering drawings. If it is necessary to depart from the authorized configuration baseline, the contractor shall submit a Request for Deviation or Request for Waiver using MIL-STD-973, paragraph 5.4.3 or 5.4.4 as a guide.

## **CONTRACT DATA REQUIREMENTS LIST**

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and meintening the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other sepect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (2071-0188), 1215 Jeffragon Davis Highway, Suite 1204, 4171griden, V4 2202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid DMB control number.

Please D0 NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. Issted in Block E.

A. CONTRACT LINE ITEM NO.		B. EXHIBIT		C. CATEGORY:								
				TDP TM		X	_			<del> </del>  -		
D. SYSTEM/ITEM M832 Dolly Set, Lift, Transportable  E. CONTRACT/PR				NO.	F. CONTRACTOR							
1. DATA ITEM NO. 2. TITLE OF DATA ITEM					3. SUBTITLE					17. PRICE GROUP		
1. DATA HEM NO. 2. THEE OF DATA HEM												
A001	A001 Request For Deviation						Configuration Management					
4. AUTHORITY (Data Acquis	ition Document No.)		CE	L	6. REQUIRING OFFICE							
DI-0	CMAN-80640B	SOW 3.4			MCLBA		TOTAL PRICE					
7. DD 250 REQ	9. DIST STATEMENT	10. FREQUENCY		12. DATE OF FIRST SUBMISSION		14. DISTRIBUTION						
LT	REQUIRED	Į A	SREQ	SEE BLK	16	* · · · · · · · · · · · · · · · · ·	b. COPIES					
8. APP CODE	A	11. AS OF DA	TE	13. DATE OF SUBSEQUENT SUBMISSION		a. Addressee	Final					
				300141331011			Draft	Reg	Repro	li		
Blk 4 - Contractor format is authorized.						MCLBA (825-2)	0	1	0	ĺ		
								_				
Blks 10 & 12 - nonconforming documentation	RFDs shall be su material which o	ibmitted loes not i	to obtain authomeet prescribe	orization to delive d configuration	Г							
receipt by the	eviewed and disp Government.	vaidon a	cammed will	im 50 calciluai uz	iyə upon							
mbmatcomcon	transmitted via E figmngmnt@mate	om.usmo	.mil	addi Coo.								
							ļ					
Distribution Ct	atement A: Appr	ouad for	public release	. distribution is u	nlimitad		ļ			i		
Distribution St	atement A: Appl	oved for	public release	, distribution is u	minited							
							<u> </u>			1		
ŀ												
							<u> </u>	-		1		
										İ		
										ľ		
							ļ.,					
							<del> </del>					
									-			
							1					
						<b>-</b>	<del> </del>					
•										:		
							1					
			I	[		15, TOTAL	0	1	0			
G. PREPARED BY			H. DATE	I. APPROVED B			J. DAT	E .				
Da-	~~~		2-3.0	x \ 441	10 L		5	Tol. 7	ا رړ i			
L							12	מניונו	U			

## **CONTRACT DATA REQUIREMENTS LIST**

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Sand commonts regarding this burden estimate or any other appear of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (7011-10188), 1215 Jeffreson Davis Highway, Suite 1204, Affington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DD NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE I	ITEM NO.	B. EXHIBI	T	C. CATEGORY:							
			,	TDP	TM	DTHER	ER				
D. SYSTEM/ITEM	Cot Lift Teamer	ortoble	E. CONTRACT/PR	NO.		F. CONTRA	CTOR				
	Set, Lift, Transp	отавіе									17, PR
DATA ITEM NO.	Z. THILE OF DATA HEM					3. SUBTITLE					1/. PR
A002		Request For Waiver				Configuration Management					
4. AUTHORITY (Data Acquisition Document No.) 5. CONTRACT REFE							6. REQUIRING OFFICE	<i>0</i>			18. ES To
DI-CMAN-80641B				SOW 3.4			MCLBA (825)				
DD 250 REQ	8. DIST STATEMENT	10. FREQUEN		12. DATE OF FIRST S			14. DISTRIBUTION				
LT	REQUIRED	I A	ASREQ	SEE BLK 16  13. DATE OF SUBSEQUENT SUBMISSION							
APP CODE	1	11. AS OF DA	TE				a. Addressee	Draft		ina	
	A						Draft	Reg	Repro	ĺ	
REMARKS							MCLBA (825-2)	0	1	0	
lk 4 - Contra	ctor format is aut	horized.									
lks 10 & 12 - onconforming ocumentation	RFWs shall be s g material which	submitted does not	to obtain auth meet prescribe	norization to ed configurat	deliver tion						
	reviewed and dis Government.										
FWs shall be ibmatcomeon	transmitted via l figmngmnt@mat	E-Mail to com.usm	the following c.mil	address:							
istribution St	atement A: App	roved for	public release	e, distributio	n is un	limited					ļ
									L		
										<b></b>	
										<b></b>	
										<b>                                     </b>	
										<b></b> 1	
								<del>                                     </del>	<b>-</b>	<del>                                     </del>	
								1	<del> </del>	<b>┼</b>	
											!
								<b>_</b>	$\vdash$	<del>                                     </del>	
								<del> </del>	<b>†</b>	+-1	
								1	<u> </u>	<del>                                     </del>	
										<b>†</b> 1.	
									1	† 1	į
								<del>                                     </del>	Ť	1	
								1	1	1 1	
								1	<u>†                                      </u>	1	!
									T	† •	ŧ
									t —		
									<u> </u>	<del>                                     </del>	
								<u> </u>	ľ	<del>                                     </del>	
											İ
									1		
									<b>†</b>		
								1		<del>  </del>	
								1 -	<b>†</b>	† <b>-</b>	
								1	T		
							15. TOTAL	- 0	1	0	:
PREPARED BY			H. DATE	I. APPR	ROVED BY	<del></del>	<u> </u>	J. DAT		<del>'</del>	
D- 5 2-3-00 DOON					a			$\frac{1}{2}$			
<i>y</i>			2-3-	00 /	$^{\vee}$ $^{\prime\prime}$	vvj	•	19	25	DU	i